

	výkon	LED zdroj	teplota	svítivost	CRI
Maverick Force 2 Profile	580W	CW	7055K	20,856 lm	70,8 (s CRI filtrem 89,3)
Maverick Force 1 Spot	470W	CW	7099K	21,172 lm	68,8 (s CRI filtrem 89,4)
Maverick Force S Profile	350W	CW	6937K	14,580 lm	69 (s CRI filtrem 89,6)
Maverick Force S Spot	350W	CW	6858K	14,470 lm	68,6 (s CRI filtrem 89,6)
Maverick Silens 2 Profile	560W	CW+RGB	6000K	10,549 lm	95,6
Maverick MK 3 Profile CX	820W	CW	5948K	17,000 lm	91,2
Maverick MK3 Profile	820W	CW	7441K	23,000 lm	74,1 (s CRI filtrem 91,2)
Maverick MK3 Spot	820W	CW	7207K	22,000 lm	73,8 (s CRI filtrem 93,2)
Maverick MK2 Profile	440W	CW	6160K	11,519 lm	>90
Maverick MK2 Spot	440W	CW	7101K	18,506 lm	73
Maverick MK1 Spot	350W	CW	7000K	9,436 lm	?

barvy	zoom	ořezové nože	prismy	váha v kg
CMY+CTO-CTB filtr	6,8°-55,9°	ano	5x	26
CMY+CTO+CTB filtr	6,3°-54,4°	ne	5x	21,8
CMY+CTB filtr	5,8°-41,6°	ano	5x	24
CMY+CTB filtr	4,1°-43,4°	ne	5x	21,5
CMY+CTO	13°-37°	ano	5x	34,4
CMY+CTO	6°-55°	ano	5x lineární, 5x kruhová	34,7
CMY+CTO	6°-54°	ano	5x lineární, 5x kruhová	34,7
CMY+CTO	6°-55°	ne	5x lineární, 5x kruhová	33
CMY+CTO	13°-37°	ano	3x	31,7
CMY+CTO	13°-37°	ne	3x	28,5
CMY	7°-33°	ne	3x	27,2

rozměry
394 x 272 x 670 mm
394 x 250 x 636 mm
361 x 238 x 639 mm
360 x 224 x 636 mm
433 x 276 x 792 mm
409 x 310 x 748 mm
409 x 310 x 748 mm
409 x 303 x 756 mm
394 x 279 x 671 mm
385 x 250 x 671 mm
394 x 250 x 636 mm